

L Number	Hits	Search Text	DB	Time stamp
1	64513	region adj2 interest or ROI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:48
2	4190088	compress\$4 or cod\$4 or encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:49
3	6526	(region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:50
4	1974	(region adj2 interest or ROI) with (compress\$4 or cod\$4 or encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:50
5	30109	motion near2 detect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:51
7	1060	interlea\$4 with difference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 12:00
8	32547	frame with difference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:52
9	21	(motion near2 detect\$4) and (interlea\$4 with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:52
10	2940	(motion near2 detect\$4) and (frame with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:52
11	1373	(motion near2 detect\$4) same (frame with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:52

12	2	(motion near2 detect\$4) same (interlea\$4 with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:53
13	11663	motion adj1 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:53
14	23	(region adj2 interest or ROI) with (motion adj1 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:53
15	83	((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4)) and (motion near2 detect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:54
16	664	JPEG2000 or JPEG-2000 or JPEG adj1 "2000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:55
17	6	(motion near2 detect\$4) and (JPEG2000 or JPEG-2000 or JPEG adj1 "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:56
18	637	(motion near2 detect\$4) and (region adj2 interest or ROI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:56
19	80	(motion near2 detect\$4) same (region adj2 interest or ROI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:56
20	42	(motion near2 detect\$4) with (region adj2 interest or ROI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:57
21	30	(compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) with (region adj2 interest or ROI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:57

23	423	((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) and (region adj2 interest or ROI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:57
22	55	((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) same (region adj2 interest or ROI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 10:59
24	129431	((compress\$4 or cod\$4 or encod\$4) with image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:01
25	20	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) with (region adj2 interest or ROI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:01
26	39	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) same (region adj2 interest or ROI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:01
27	239	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) and (region adj2 interest or ROI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:01
29	3604676	@ad>19991020 not (continu\$6 or provision\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:05
31	37	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) same (region adj2 interest or ROI))) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:06
32	225	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) and (region adj2 interest or ROI))) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:06
30	19	((compress\$4 or cod\$4 or encod\$4) with image) and ((compress\$4 or cod\$4 or encod\$4) and ((motion near2 detect\$4) with (region adj2 interest or ROI))) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:09

33	40204	382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:09
34	274	382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:10
35	241	(382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:12
36	7133484	@pd>19991006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:12
37	52	((382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))) not (@ad>19991020 not (continu\$6 or provision\$4))) not @pd>19991006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:15
38	37244	(motion near2 detect\$4) or (motion adj1 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:15
39	7	((382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))) not (@ad>19991020 not (continu\$6 or provision\$4))) not @pd>19991006 and ((motion near2 detect\$4) or (motion adj1 vector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:35
40	125	(region adj2 interest or ROI) same ((motion near2 detect\$4) or (motion adj1 vector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:36
41	111	((region adj2 interest or ROI) same ((motion near2 detect\$4) or (motion adj1 vector))) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:36
42	30	((region adj2 interest or ROI) same ((motion near2 detect\$4) or (motion adj1 vector))) not (@ad>19991020 not (continu\$6 or provision\$4)) not @pd>19991006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:49

43	8	(((((region adj2 interest or ROI) same ((motion near2 detect\$4) or (motion adj1 vector)))) not (@ad>19991020 not (continu\$6 or provision\$4)))) not @pd>19991006) and ((compress\$4 or cod\$4 or encod\$4) with image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:55
44	336	(detect\$4 or determin\$6) adj2 (region adj2 interest or ROI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:56
45	5	((detect\$4 or determin\$6) adj2 (region adj2 interest or ROI)) with motion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 11:56
46	11	((detect\$4 or determin\$6) adj2 (region adj2 interest or ROI)) same motion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 12:01
47	1257	interlac\$4 with difference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 12:00
48	0	((detect\$4 or determin\$6) adj2 (region adj2 interest or ROI)) same ((interlea\$4 with difference) or (frame with difference) or (interlac\$4 with difference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 12:02
49	5	((detect\$4 or determin\$6) adj2 (region adj2 interest or ROI)) and ((interlea\$4 with difference) or (frame with difference) or (interlac\$4 with difference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 12:02
6	53	((region adj2 interest or ROI) with (compress\$4 or cod\$4 or encod\$4)) and (motion near2 detect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:24
50	49	((region adj2 interest or ROI) with (compress\$4 or cod\$4 or encod\$4)) and (motion near2 detect\$4)) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:24
51	12	((region adj2 interest or ROI) with (compress\$4 or cod\$4 or encod\$4)) and (motion near2 detect\$4)) not (@ad>19991020 not (continu\$6 or provision\$4)) not @pd>19991006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:27

52	4845	(detect\$4 or extract\$4 or segment\$4 or determin\$5) adj3 (moving adj1 (object or area or part))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:32
53	69	(region adj2 interest or ROI) and ((detect\$4 or extract\$4 or segment\$4 or determin\$5) adj3 (moving adj1 (object or area or part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:33
54	383	(face or body or eye) same ((detect\$4 or extract\$4 or segment\$4 or determin\$5) adj3 (moving adj1 (object or area or part)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:33
56	99	((face or body or eye) same ((detect\$4 or extract\$4 or segment\$4 or determin\$5) adj3 (moving adj1 (object or area or part)))) and (compress\$4 or cod\$4 or encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 13:34
55	42	((region adj2 interest or ROI) and ((detect\$4 or extract\$4 or segment\$4 or determin\$5) adj3 (moving adj1 (object or area or part)))) and (compress\$4 or cod\$4 or encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 15:29
57	146	((382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))) not (@ad>19991020 not (continu\$6 or provision\$4))) and (motion or moving or displacement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 15:36
58	146	((382/\$.ccls. and ((region adj2 interest or ROI) same (compress\$4 or cod\$4 or encod\$4))) not (@ad>19991020 not (continu\$6 or provision\$4))) and (motion or moving or displacement)) not (@ad>19991020 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:22
59	36435	(motion or moving) with segment\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:23
63	8417	((motion or moving) with segment\$6) same line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:24
60	2	((motion or moving) with segment\$6) same (interlea\$4 with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:24

62	1	((motion or moving) with segment\$6) same (interlac\$4 with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:25
64	3	((motion or moving) with segment\$6) same line adj1 delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 16:30
61	135	((motion or moving) with segment\$6) same (frame with difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 17:06
65	28	(bit-shift\$4 or bit near3 shift\$4) with (region adj2 interest or ROI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 17:32
66	8	("5321776" "5481308" "5604602" "5742892" "5767966" "5929912" "5966465" "6097842").PN.	USPAT	2004/02/26 17:31
67	2	6263022.URPN.	USPAT	2004/02/26 17:31
68	28	(bit-shift\$4 or bit near3 shift\$4) and ((bit-shift\$4 or bit near3 shift\$4) with (region adj2 interest or ROI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 17:33
69	1	(bit-shift\$4 or bit near3 shift\$4) and (("5321776" "5481308" "5604602" "5742892" "5767966" "5929912" "5966465" "6097842").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/02/26 17:33